CERTIFICATE OF ANALYSIS

Work Order	:	**VA26D1898**			
Client	:	**Amrize Canada Inc.**	Laboratory	:	ALS Environmental - Vancouver
Contact	:	Florian Rossmann	Account Manager	:	Gulraj Dhanaua
Address	:	2300 Rogers Ave Coquitlam British Columbia Canada V3K 5X6	Address	:	8081 Lougheed Highway Burnaby BC Canada V5A 1W9
Telephone	:	----	E-mail	:	Gulraj.Dhanaua@alsglobal.com
Project	:	VAID - Texada	Telephone	:	+1 604 253 4188
PO	:	4502054868	Date Samples Received	:	28-Oct-2026 11:25
C-O-C number	:	----	Date Analysis Commenced	:	02-Nov-2026
Sampler	:	----	Issue Date	:	04-Nov-2026 16:38
Site	:	----			
Quote number	:	Amrize Western Canada Standing Offer			
No. of samples received	:	12			
No. of samples analysed	:	12			

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results
- Surrogate Control Limits

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QC Interpretive report to assist with Quality Review and Sample Receipt Notification (SRN).

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is conducted in accordance with US FDA 21 CFR Part 11.

Signatories	*Position*	*Laboratory Department*
Brieanna Allen	Production/Validation Manager	Organics, Burnaby, British Columbia
Dan Gebert	Supervisor - Metals Mercury & Speciation	Metals, Burnaby, British Columbia

General Comments

The analytical methods used by ALS are developed using internationally recognized reference methods (where available), such as those published by US EPA, APHA Standard Methods, ASTM, ISO, Environment Canada, BC MOE, and Ontario MOE. Refer to the ALS Quality Control Interpretive report (QCI) for applicable references and methodology summaries. Reference methods may incorporate modifications to improve performance.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

Please refer to Quality Control Interpretive report (QCI) for information regarding Holding Time compliance.

Key: CAS Number: Chemical Abstracts Services number is a unique identifier assigned to discrete substances.
LOR: Limit of Reporting (detection limit).

Unit	*Description*
mg/L	milligrams per litre
µg/L	micrograms per litre

<: less than.
>: greater than.
Surrogate: An analyte that is similar in behavior to target analyte(s), but that does not occur naturally in environmental samples. For applicable tests, surrogates are added to samples prior to analysis as a check on recovery.

Test results reported relate only to the samples as received by the laboratory.
UNLESS OTHERWISE STATED on SRN or QCI Report, ALL SAMPLES WERE RECEIVED IN ACCEPTABLE CONDITION.

Qualifiers

Qualifier	Description
DLM	Detection Limit Adjusted due to sample matrix effects (e.g. chemical interference, colour, turbidity).

Analytical Results

Sub-Matrix: Water
(Matrix: Water)

Analyte	CAS Number	Method/Lab	LOR	Unit	Client sample ID	VA1- SITE #1 HOTEL ----	VA2- SITE #2 EARL ST ----	VA3- SITE #3 MARBLE BAY @ VAN ANDA ----	VA4- SITE #4 BLEWETT/SMELTER ----	VA5- SITE #5 SELLENTIN @ STURT BAY RD ----
					Client sampling date / time	27-Oct-2026 09:01	27-Oct-2026 09:20	27-Oct-2026 09:27	27-Oct-2026 09:33	27-Oct-2026 09:14
						VA26D1898-001	VA26D1898-002	VA26D1898-003	VA26D1898-004	VA26D1898-005
						Result	Result	Result	Result	Result
Physical Tests										
Hardness (as CaCO3), from total Ca/Mg	----	EC100A/VA	0.60	mg/L		131	131	133	136	133
Total Metals										
Aluminum, total	7429-90-5	E420/VA	0.0030	mg/L		0.0172	0.0061	0.0044	0.0077	0.0361
Antimony, total	7440-36-0	E420/VA	0.00010	mg/L		0.00161	0.00161	0.00163	0.00164	0.00167
Arsenic, total	7440-38-2	E420/VA	0.00010	mg/L		0.00290	0.00272	0.00262	0.00264	0.00296
Barium, total	7440-39-3	E420/VA	0.00010	mg/L		0.00747	0.00711	0.00708	0.00739	0.00782
Beryllium, total	7440-41-7	E420/VA	0.000100	mg/L		<0.000100	<0.000100	<0.000100	<0.000100	<0.000100
Bismuth, total	7440-69-9	E420/VA	0.000050	mg/L		<0.000050	<0.000050	<0.000050	<0.000050	<0.000050
Boron, total	7440-42-8	E420/VA	0.010	mg/L		<0.010	<0.010	<0.010	<0.010	<0.010
Cadmium, total	7440-43-9	E420/VA	0.0000050	mg/L		<0.0000100 DLM	<0.0000050	<0.0000050	<0.0000100 DLM	<0.0000100 DLM
Calcium, total	7440-70-2	E420/VA	0.050	mg/L		47.4	47.7	48.2	49.5	48.2
Cesium, total	7440-46-2	E420/VA	0.000010	mg/L		0.000035	0.000034	0.000035	0.000034	0.000037
Chromium, total	7440-47-3	E420/VA	0.00050	mg/L		<0.00050	<0.00050	<0.00050	<0.00050	<0.00050
Cobalt, total	7440-48-4	E420/VA	0.00010	mg/L		<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Copper, total	7440-50-8	E420/VA	0.00050	mg/L		0.00533	0.00424	0.00554	0.00502	0.0111
Iron, total	7439-89-6	E420/VA	0.010	mg/L		0.024	0.012	<0.010	0.019	0.126
Lead, total	7439-92-1	E420/VA	0.000050	mg/L		0.000158	0.000165	0.000139	0.000201	0.000456
Lithium, total	7439-93-2	E420/VA	0.0010	mg/L		<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Magnesium, total	7439-95-4	E420/VA	0.0050	mg/L		3.04	2.99	3.08	3.06	3.07
Manganese, total	7439-96-5	E420/VA	0.00010	mg/L		0.0297	0.00887	0.00824	0.0140	0.0829

alsglobal.com

Analytical Results

Sub-Matrix: Water
(Matrix: Water)

Analyte	CAS Number	Method/Lab	LOR	Unit	Client sample ID	VA1- SITE #1 HOTEL ----	VA2- SITE #2 EARL ST ----	VA3- SITE #3 MARBLE BAY @ VAN ANDA ----	VA4- SITE #4 BLEWETT/SMELTER ----	VA5- SITE #5 SELLENTIN @ STURT BAY RD ----
					Client sampling date / time	27-Oct-2026 09:01	27-Oct-2026 09:20	27-Oct-2026 09:27	27-Oct-2026 09:33	27-Oct-2026 09:14
						VA26D1898-001	VA26D1898-002	VA26D1898-003	VA26D1898-004	VA26D1898-005
						Result	Result	Result	Result	Result
Total Metals										
Mercury, total	7439-97-6	E508/VA	0.0000050	mg/L		<0.0000050	<0.0000050	<0.0000050	<0.0000050	<0.0000050
Molybdenum, total	7439-98-7	E420/VA	0.000050	mg/L		0.00834	0.00846	0.00774	0.00851	0.00848
Nickel, total	7440-02-0	E420/VA	0.00050	mg/L		<0.00050	0.00194	0.00097	<0.00050	<0.00050
Phosphorus, total	7723-14-0	E420/VA	0.050	mg/L		<0.050	<0.050	<0.050	<0.050	<0.050
Potassium, total	7440-09-7	E420/VA	0.050	mg/L		0.326	0.316	0.331	0.331	0.326
Rubidium, total	7440-17-7	E420/VA	0.00020	mg/L		0.00038	0.00041	0.00042	0.00041	0.00045
Selenium, total	7782-49-2	E420/VA	0.000050	mg/L		0.000479	0.000576	0.000618	0.000590	0.000678
Silicon, total	7440-21-3	E420/VA	0.10	mg/L		3.47	3.52	3.52	3.46	3.67
Silver, total	7440-22-4	E420/VA	0.000010	mg/L		<0.000010	<0.000010	<0.000010	<0.000010	<0.000010
Sodium, total	7440-23-5	E420/VA	0.050	mg/L		6.74	6.66	7.23	7.16	6.87
Strontium, total	7440-24-6	E420/VA	0.00020	mg/L		0.214	0.214	0.221	0.222	0.217
Sulfur, total	7704-34-9	E420/VA	0.50	mg/L		11.7	11.4	10.6	11.7	12.0
Tellurium, total	13494-80-9	E420/VA	0.00020	mg/L		<0.00020	<0.00020	<0.00020	<0.00020	<0.00020
Thallium, total	7440-28-0	E420/VA	0.000010	mg/L		0.000020	<0.000010	<0.000010	0.000010	0.000033
Thorium, total	7440-29-1	E420/VA	0.00010	mg/L		<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Tin, total	7440-31-5	E420/VA	0.00010	mg/L		<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Titanium, total	7440-32-6	E420/VA	0.00030	mg/L		<0.00030	<0.00030	<0.00030	<0.00030	0.00092
Tungsten, total	7440-33-7	E420/VA	0.00010	mg/L		<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Uranium, total	7440-61-1	E420/VA	0.000010	mg/L		0.00505	0.00509	0.00493	0.00522	0.00513
Vanadium, total	7440-62-2	E420/VA	0.00050	mg/L		0.00114	0.00107	0.00104	0.00108	0.00121

Analytical Results

Sub-Matrix: Water
(Matrix: Water)

Analyte	CAS Number	Method/Lab	LOR	Unit	Client sample ID	VA1- SITE #1 HOTEL ----	VA2- SITE #2 EARL ST ----	VA3- SITE #3 MARBLE BAY @ VAN ANDA ----	VA4- SITE #4 BLEWETT/SMELTER ----	VA5- SITE #5 SELLENTIN @ STURT BAY RD ----
					Client sampling date / time	27-Oct-2026 09:01	27-Oct-2026 09:20	27-Oct-2026 09:27	27-Oct-2026 09:33	27-Oct-2026 09:14
						VA26D1898-001	VA26D1898-002	VA26D1898-003	VA26D1898-004	VA26D1898-005
						Result	Result	Result	Result	Result
Total Metals										
Zinc, total	7440-66-6	E420/VA	0.0030	mg/L		0.0081	0.0080	0.0163	0.0052	0.0071
Zirconium, total	7440-67-7	E420/VA	0.00020	mg/L		<0.00020	<0.00020	<0.00020	<0.00020	<0.00020

Please refer to the General Comments section for an explanation of any qualifiers detected.

Analytical Results

Sub-Matrix: Water
(Matrix: Water)

Analyte	CAS Number	Method/Lab	LOR	Unit	Client sample ID	VA6- SITE #6 WALL ST PUMPHOUSE ----	VA7- SITE #7 COPPER QUEEN @ ALLADIN ----	VA8- SITE #8 TANK OUTLET ----	VA9- SITE #9 - WALL STREET END HYDRANT ----	VA10- SITE #10 - MARBLE BAY & SELLENTIN ST ----
					Client sampling date / time	27-Oct-2026 09:52	27-Oct-2026 10:05	27-Oct-2026 08:53	27-Oct-2026 09:41	27-Oct-2026 09:09
						VA26D1898-006	VA26D1898-007	VA26D1898-008	VA26D1898-009	VA26D1898-010
						Result	Result	Result	Result	Result
Physical Tests										
Hardness (as CaCO3), from total Ca/Mg	----	EC100A/VA	0.60	mg/L		134	135	135	135	132
Total Metals										
Aluminum, total	7429-90-5	E420/VA	0.0030	mg/L		0.0044	0.0058	0.0039	0.0308	0.0083
Antimony, total	7440-36-0	E420/VA	0.00010	mg/L		0.00163	0.00166	0.00165	0.00167	0.00167
Arsenic, total	7440-38-2	E420/VA	0.00010	mg/L		0.00260	0.00256	0.00266	0.00289	0.00291
Barium, total	7440-39-3	E420/VA	0.00010	mg/L		0.00711	0.00730	0.00705	0.00760	0.00712
Beryllium, total	7440-41-7	E420/VA	0.000100	mg/L		<0.000100	<0.000100	<0.000100	<0.000100	<0.000100
Bismuth, total	7440-69-9	E420/VA	0.000050	mg/L		<0.000050	<0.000050	<0.000050	<0.000050	<0.000050
Boron, total	7440-42-8	E420/VA	0.010	mg/L		<0.010	<0.010	<0.010	<0.010	<0.010
Cadmium, total	7440-43-9	E420/VA	0.0000050	mg/L		<0.0000050	<0.0000050	<0.0000050	<0.0000100 DLM	<0.0000050
Calcium, total	7440-70-2	E420/VA	0.050	mg/L		48.4	49.0	48.7	48.8	47.9

Analytical Results

Sub-Matrix: Water
(Matrix: Water)

Analyte	CAS Number	Method/Lab	LOR	Unit	Client sample ID	VA6- SITE #6 WALL ST PUMPHOUSE ----	VA7- SITE #7 COPPER QUEEN @ ALLADIN ----	VA8- SITE #8 TANK OUTLET ----	VA9- SITE #9 - WALL STREET END HYDRANT ----	VA10- SITE #10 - MARBLE BAY & SELLENTIN ST ----
					Client sampling date / time	27-Oct-2026 09:52	27-Oct-2026 10:05	27-Oct-2026 08:53	27-Oct-2026 09:41	27-Oct-2026 09:09
						VA26D1898-006	VA26D1898-007	VA26D1898-008	VA26D1898-009	VA26D1898-010
						Result	Result	Result	Result	Result
Total Metals										
Cesium, total	7440-46-2	E420/VA	0.000010	mg/L		0.000033	0.000036	0.000035	0.000036	0.000035
Chromium, total	7440-47-3	E420/VA	0.00050	mg/L		<0.00050	<0.00050	<0.00050	<0.00050	<0.00050
Cobalt, total	7440-48-4	E420/VA	0.00010	mg/L		<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Copper, total	7440-50-8	E420/VA	0.00050	mg/L		0.0118	0.0135	0.00591	0.00969	0.00831
Iron, total	7439-89-6	E420/VA	0.010	mg/L		<0.010	0.013	<0.010	0.130	<0.010
Lead, total	7439-92-1	E420/VA	0.000050	mg/L		0.000296	0.000173	0.000330	0.000357	0.000236
Lithium, total	7439-93-2	E420/VA	0.0010	mg/L		<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Magnesium, total	7439-95-4	E420/VA	0.0050	mg/L		3.10	3.14	3.17	3.14	3.12
Manganese, total	7439-96-5	E420/VA	0.00010	mg/L		0.00747	0.00997	0.00893	0.0256	0.00982
Mercury, total	7439-97-6	E508/VA	0.0000050	mg/L		<0.0000050	<0.0000050	<0.0000050	<0.0000050	<0.0000050
Molybdenum, total	7439-98-7	E420/VA	0.000050	mg/L		0.00845	0.00843	0.00769	0.00797	0.00875
Nickel, total	7440-02-0	E420/VA	0.00050	mg/L		0.00061	<0.00050	<0.00050	<0.00050	<0.00050
Phosphorus, total	7723-14-0	E420/VA	0.050	mg/L		<0.050	<0.050	<0.050	<0.050	<0.050
Potassium, total	7440-09-7	E420/VA	0.050	mg/L		0.330	0.335	0.334	0.331	0.326
Rubidium, total	7440-17-7	E420/VA	0.00020	mg/L		0.00046	0.00045	0.00043	0.00050	0.00043
Selenium, total	7782-49-2	E420/VA	0.000050	mg/L		0.000649	0.000565	0.000572	0.000620	0.000553
Silicon, total	7440-21-3	E420/VA	0.10	mg/L		3.53	3.58	3.49	3.59	3.52
Silver, total	7440-22-4	E420/VA	0.000010	mg/L		<0.000010	<0.000010	<0.000010	<0.000010	<0.000010
Sodium, total	7440-23-5	E420/VA	0.050	mg/L		6.81	7.18	7.28	7.03	6.75
Strontium, total	7440-24-6	E420/VA	0.00020	mg/L		0.219	0.224	0.222	0.219	0.219

Analytical Results

Sub-Matrix: Water
(Matrix: Water)

Analyte	CAS Number	Method/Lab	LOR	Unit	Client sample ID	VA6- SITE #6 WALL ST PUMPHOUSE ----	VA7- SITE #7 COPPER QUEEN @ ALLADIN ----	VA8- SITE #8 TANK OUTLET ----	VA9- SITE #9 - WALL STREET END HYDRANT ----	VA10- SITE #10 - MARBLE BAY & SELLENTIN ST ----
					Client sampling date / time	27-Oct-2026 09:52	27-Oct-2026 10:05	27-Oct-2026 08:53	27-Oct-2026 09:41	27-Oct-2026 09:09
						VA26D1898-006	VA26D1898-007	VA26D1898-008	VA26D1898-009	VA26D1898-010
						Result	Result	Result	Result	Result
Total Metals										
Sulfur, total	7704-34-9	E420/VA	0.50	mg/L		11.6	11.2	10.1	11.0	11.9
Tellurium, total	13494-80-9	E420/VA	0.00020	mg/L		<0.00020	<0.00020	<0.00020	<0.00020	<0.00020
Thallium, total	7440-28-0	E420/VA	0.000010	mg/L		<0.000010	<0.000010	<0.000010	<0.000010	<0.000010
Thorium, total	7440-29-1	E420/VA	0.00010	mg/L		<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Tin, total	7440-31-5	E420/VA	0.00010	mg/L		<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Titanium, total	7440-32-6	E420/VA	0.00030	mg/L		<0.00030	<0.00030	<0.00030	0.00037	<0.00030
Tungsten, total	7440-33-7	E420/VA	0.00010	mg/L		<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Uranium, total	7440-61-1	E420/VA	0.000010	mg/L		0.00512	0.00505	0.00491	0.00508	0.00509
Vanadium, total	7440-62-2	E420/VA	0.00050	mg/L		0.00103	0.00102	0.00109	0.00128	0.00114
Zinc, total	7440-66-6	E420/VA	0.0030	mg/L		0.0289	0.0162	0.0093	0.0053	0.0083
Zirconium, total	7440-67-7	E420/VA	0.00020	mg/L		<0.00020	<0.00020	<0.00020	<0.00020	<0.00020
Volatile Organic Compounds [THMs]										
Bromodichloromethane	75-27-4	E611B/VA	1.0	µg/L		----	----	6.0	----	----
Bromoform	75-25-2	E611B/VA	1.0	µg/L		----	----	<1.0	----	----
Chloroform	67-66-3	E611B/VA	1.0	µg/L		----	----	81.3	----	----
Dibromochloromethane	124-48-1	E611B/VA	1.0	µg/L		----	----	<1.0	----	----
Trihalomethanes [THMs], total	----	E611B/VA	2.0	µg/L		----	----	87.3	----	----
Volatile Organic Compounds [THMs] Surrogates										
Bromofluorobenzene, 4-	460-00-4	E611B/VA	1.0	%		----	----	88.9	----	----
Difluorobenzene, 1,4-	540-36-3	E611B/VA	1.0	%		----	----	96.8	----	----

Please refer to the General Comments section for an explanation of any qualifiers detected.

Analytical Results

Sub-Matrix: Water
(Matrix: Water)

Analyte	CAS Number	Method/Lab	LOR	Unit	RAW SUPPLY ----	VA-DUP (HOTEL) ----	----	----	----
Client sample ID					RAW SUPPLY ----	VA-DUP (HOTEL) ----	----	----	----
Client sampling date / time					27-Oct-2026 08:48	27-Oct-2026 09:01	----	----	----
					VA26D1898-011	VA26D1898-012	----	----	----
					Result	Result	----	----	----
Physical Tests									
Hardness (as CaCO3), from total Ca/Mg	----	EC100A/VA	0.60	mg/L	133	127	----	----	----
Total Metals									
Aluminum, total	7429-90-5	E420/VA	0.0030	mg/L	0.0046	0.0075	----	----	----
Antimony, total	7440-36-0	E420/VA	0.00010	mg/L	0.00168	0.00169	----	----	----
Arsenic, total	7440-38-2	E420/VA	0.00010	mg/L	0.00328	0.00265	----	----	----
Barium, total	7440-39-3	E420/VA	0.00010	mg/L	0.00756	0.00693	----	----	----
Beryllium, total	7440-41-7	E420/VA	0.000100	mg/L	<0.000100	<0.000100	----	----	----
Bismuth, total	7440-69-9	E420/VA	0.000050	mg/L	<0.000050	<0.000050	----	----	----
Boron, total	7440-42-8	E420/VA	0.010	mg/L	<0.010	<0.010	----	----	----
Cadmium, total	7440-43-9	E420/VA	0.0000050	mg/L	<0.0000050	<0.0000050	----	----	----
Calcium, total	7440-70-2	E420/VA	0.050	mg/L	48.0	46.1	----	----	----
Cesium, total	7440-46-2	E420/VA	0.000010	mg/L	0.000038	0.000034	----	----	----
Chromium, total	7440-47-3	E420/VA	0.00050	mg/L	<0.00050	<0.00050	----	----	----
Cobalt, total	7440-48-4	E420/VA	0.00010	mg/L	<0.00010	<0.00010	----	----	----
Copper, total	7440-50-8	E420/VA	0.00050	mg/L	0.00084	0.00473	----	----	----
Iron, total	7439-89-6	E420/VA	0.010	mg/L	<0.010	<0.010	----	----	----
Lead, total	7439-92-1	E420/VA	0.000050	mg/L	0.000085	0.000091	----	----	----
Lithium, total	7439-93-2	E420/VA	0.0010	mg/L	<0.0010	<0.0010	----	----	----
Magnesium, total	7439-95-4	E420/VA	0.0050	mg/L	3.10	2.94	----	----	----
Manganese, total	7439-96-5	E420/VA	0.00010	mg/L	0.0216	0.0104	----	----	----

Analytical Results

Sub-Matrix: Water
(Matrix: Water)

Analyte	CAS Number	Method/Lab	LOR	Unit	RAW SUPPLY ----	VA-DUP (HOTEL) ----	----	----	----
Client sampling date / time					27-Oct-2026 08:48	27-Oct-2026 09:01	----	----	----
					VA26D1898-011	VA26D1898-012	----	----	----
					Result	Result	----	----	----
Total Metals									
Mercury, total	7439-97-6	E508/VA	0.0000050	mg/L	<0.0000050	<0.0000050	----	----	----
Molybdenum, total	7439-98-7	E420/VA	0.000050	mg/L	0.0129	0.00857	----	----	----
Nickel, total	7440-02-0	E420/VA	0.00050	mg/L	<0.00050	<0.00050	----	----	----
Phosphorus, total	7723-14-0	E420/VA	0.050	mg/L	<0.050	<0.050	----	----	----
Potassium, total	7440-09-7	E420/VA	0.050	mg/L	0.320	0.310	----	----	----
Rubidium, total	7440-17-7	E420/VA	0.00020	mg/L	0.00043	0.00043	----	----	----
Selenium, total	7782-49-2	E420/VA	0.000050	mg/L	0.000622	0.000640	----	----	----
Silicon, total	7440-21-3	E420/VA	0.10	mg/L	3.52	3.56	----	----	----
Silver, total	7440-22-4	E420/VA	0.000010	mg/L	<0.000010	<0.000010	----	----	----
Sodium, total	7440-23-5	E420/VA	0.050	mg/L	3.53	6.53	----	----	----
Strontium, total	7440-24-6	E420/VA	0.00020	mg/L	0.221	0.212	----	----	----
Sulfur, total	7704-34-9	E420/VA	0.50	mg/L	15.4	11.6	----	----	----
Tellurium, total	13494-80-9	E420/VA	0.00020	mg/L	<0.00020	<0.00020	----	----	----
Thallium, total	7440-28-0	E420/VA	0.000010	mg/L	<0.000010	<0.000010	----	----	----
Thorium, total	7440-29-1	E420/VA	0.00010	mg/L	<0.00010	<0.00010	----	----	----
Tin, total	7440-31-5	E420/VA	0.00010	mg/L	<0.00010	<0.00010	----	----	----
Titanium, total	7440-32-6	E420/VA	0.00030	mg/L	<0.00030	<0.00030	----	----	----
Tungsten, total	7440-33-7	E420/VA	0.00010	mg/L	<0.00010	<0.00010	----	----	----
Uranium, total	7440-61-1	E420/VA	0.000010	mg/L	0.00979	0.00502	----	----	----
Vanadium, total	7440-62-2	E420/VA	0.00050	mg/L	0.00138	0.00104	----	----	----
Zinc, total	7440-66-6	E420/VA	0.0030	mg/L	<0.0030	0.0057	----	----	----

Analytical Results

Sub-Matrix: Water (Matrix: Water)				Client sample ID	RAW SUPPLY ----	VA-DUP (HOTEL) ----	----	----	----
				Client sampling date / time	27-Oct-2026 08:48	27-Oct-2026 09:01	----	----	----
Analyte	CAS Number	Method/Lab	LOR	Unit	VA26D1898-011	VA26D1898-012	----	----	----
					Result	Result	----	----	----
Total Metals									
Zirconium, total	7440-67-7	E420/VA	0.00020	mg/L	<0.00020	<0.00020	----	----	----

Please refer to the General Comments section for an explanation of any qualifiers detected.

alsglobal.com